

system szyn zbiorczych, akcesoria Odstęp między osiami szyn 60mm, Korytka podłogowe (długość 1100 mm) z dużymi odstępami izolacyjnymi w powietrzu z dużymi odcinkami prądu pełzającego zgodnie z UL 508



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Płyta podłogowa
wykonanie produktu	Akcesoria
możliwość zastosowania	UL 508

Konstrukcja mechaniczna	
szerokość	1 100 mm
długość	1 100 mm
odstęp między środkami szyn	60 mm
masa netto	563 g

Zezwolenia Certyfikaty		
General Product Approval	Test Certificates	other

[Confirmation](#)



[Miscellaneous](#)

[Miscellaneous](#)

other	Environment
-------	-------------

[Confirmation](#)

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1922-2UA01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1922-2UA01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1922-2UA01](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1922-2UA01)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

Ostatnia zmiana:

28.09.2021 

