

kołpak do plombowania dla 5TT584 i 5TT585



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Ośłona przyłączy
wykonanie produktu	Styczniki Insta, technologia AC 5TT5 8 plombowane osłony zacisków do styczników Insta 40 A i 63 A

Environmental footprint	
deklaracja środowiskowa produktu (EPD)	Tak
współczynnik ocieplenia globalnego [eq CO <sub>2</sub> ] ogółem	1,11 kg
współczynnik ocieplenia globalnego [eq CO <sub>2</sub> ] podczas produkcji	0,306 kg
współczynnik ocieplenia globalnego [eq CO <sub>2</sub> ] podczas eksploatacji	0,782 kg
współczynnik ocieplenia globalnego [eq CO <sub>2</sub> ] po End of Life	0,018 kg

Zezwolenia Certyfikaty		
General Product Approval	other	Environment

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

[Miscellaneous](#)



### Environment

[Environmental Confirmations](#)

[Environmental Confirmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT5910-7>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5TT5910-7>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TT5910-7](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5910-7)

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



