



łącznik pomocniczy dla 5SG7230 i 3NW7430

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Pomocniczy wyłącznik prądu
wykonanie produktu	do zamontowania
wykonanie produktu fabrycznie montowany	Nie
Napięcie zasilania	
napięcie robocze	
• wartość znamionowa	230 V
Zdolność przełączania	
zdolność łączeniowa prądu wartość nominalna	2 A
Prąd sterujący	
rodzaj napięcia napięcia sterującego	AC
Szczegóły produktu	
liczba styków alarmowych	0
liczba zestyków rozwiernych	0
liczba zestyków zwiernych	0
liczba zestyków przełącznych	1
rozszerzenie produktu możliwy do zamontowania	inne
rozszerzenie produktu	Pomocniczy wyłącznik prądu
Konstrukcja mechaniczna	
masa netto	9 g
Zezwolenia Certyfikaty	
General Product Approval	other



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

### Environment

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SH5525>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pl/ps/5SH5525>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SH5525](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SH5525)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

---

Ostatnia zmiana:

15.06.2024 

