

zacisk pryzmatyczny podwójny 2x 70 - 120mm<sup>2</sup>, dla wielkości NH2 z przyłącze śrubowe, akcesorium do bezpiecznikowy rozłącznik izolacyjny 3NP1 zawiera 3 zaciski

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Zacisk pryzmatyczny podwójny 2x 70 - 120 mm <sup>2</sup>
wykonanie produktu	Wyposażenie do bezpiecznikowego rozłącznika izolacyjnego 3NP1
możliwość zastosowania	do 3NP1, 3-bieg., NH2, z przyłączem płaskim

Zezwolenia Certyfikaty		
General Product Approval	Test Certificates	Marine / Shipping



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)



other	Environment
-------	-------------

[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

[Environmental Confirmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NP1953-1BB20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3NP1953-1BB20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NP1953-1BB20](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NP1953-1BB20)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

Ostatnia zmiana:

18.04.2024 

