SIEMENS

Data sheet 6GT2810-2HC00

SIMATIC RF650T ETSI 54x 24x 8.8 mm (LxWxH) ISO 18000-6C frequency 865 to 868 MHz NXP UCODE 8 EPC IP 16 byte/128 bit no user memory adhesive to various surfaces labeling on request -25 to +80 °C IP68 range 4 m 20 units/pack 20 units MOQ.



suitability for operation	RF600
radio frequencies	
operating frequency	865 868 MHz
range / maximum	3 m; observe system manual RF600: overrange is possible, range is reader dependent: observe http://support.automation.siemens.com/WW/view/en/67384964
protocol / with radio transmission	EPCglobal Class 1 Gen 2 / ISO 18000-63
transfer rate / with radio transmission / maximum	320 kbit/s
product feature / multitag-capable	Yes
polarization	Linear
electrical data	
product component / backup battery	No
memory	
type of memory	EEPROM
storage capacity / of the user memory	16 byte
type of memory organization	EPC memory 128 bits (16 bytes) assigned with sequential identifier. No user memory.
number of read cycles / at ambient temperature < 40 $^{\circ}\text{C}$ / maximum	1E+14
number of write cycles / at ambient temperature < 40 $^{\circ}\text{C}$ / maximum	100000
data retention time / at ambient temperature < 40 $^{\circ}\text{C}$ / not less than	10 a
property of memory	lock, unlock, write protection, password protection
type of transponder chip used	NXP Ucode 8
mechanical data	
material	ASA and TPS-SEBS
color	black
mounting distance / relating to metal surfaces / recommended / minimum	0 mm
ambient conditions	
ambient temperature	
during read/write access	-20 +55 °C
outside the read/write area	-25 +55 °C
during storage	-20 +55 °C
protection class IP	IP68
shock resistance	According to DIN EN 60721-3-7 Class 7 M3
shock acceleration	500 m/s ²
vibrational acceleration	200 m/s²
resistance to mechanical stress	Torsion and bending stress not permissible
design, dimensions and weights	
width	54 mm

height	8.8 mm	
depth	24 mm	
net weight	7 g	
fastening method	gluing	
product features, product functions, product components / general		
product feature		
• silicon-free	Yes	
tamper-proof	Yes	
• printable	No	
standards, specifications, approvals		
certificate of suitability		
• IECEx	No	
reference code		
 according to IEC 81346-2:2019 	CFA	
further information / internet links		
internet link		
 to web page: selection aid TIA Selection Tool 	https://www.siemens.com/tstcloud	
 to web page: identification and localization systems 	https://www.siemens.com/ident	
 to web page: SiePortal 	https://sieportal.siemens.com/	
to website: Image database	https://www.automation.siemens.com/bilddb	
to website: CAx-Download-Manager	https://www.siemens.com/cax	
• to website: Industry Online Support	https://support.industry.siemens.com	
security information		
security information	Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)	

last modified:

11/19/2024

