



system szyn zbiorczych, akcesoria Odstęp między osiami szyn 60mm, Wspornik szyn zbiorczych 3-biegunowy do szyn 12x 5 (10)-30x 5 (10) mocowanie zewnętrzne Szerokość 20 mm

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Uchwyt szyny zbiorczej
napięcie robocze przy AC wartość znamionowa	690 V
możliwość zastosowania	Szyny płaskie
rodzaj przekrojów poprzecznych możliwych do podłączenia przewodów dla przewodów Cu wielożyłowy	12 mm x 5 mm – 30 mm x 10 mm
Konstrukcja mechaniczna	
szerokość	20 mm
odstęp między środkami szyn	60 mm
Zezwolenia Certyfikaty	
General Product Approval	Test Certificates




[Confirmation](#)



[Miscellaneous](#)

other	Environment
Confirmation	Environmental Confirmations
Miscellaneous	Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1923-2AA01 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/8US1923-2AA01 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1923-2AA01 CAX-Online-Generator http://www.siemens.com/cax Tender specifications http://www.siemens.com/specifications



Ostatnia zmiana:

28.09.2021 

