Doc. N.° 1SDH000719R0817 - ECN000414381 - Rev. C

SACE Tmax XT

Trasformazione terminali F-R (HR-VR) parte fissa XT1-XT2-XT3-XT4
Conversion kit for fixed part F-R (HR-VR) terminals XT1-XT2-XT3-XT4
Umwandlung Anschlüssen F-R (HR-VR) für das Feste Teil XT1-XT2-XT3-XT4
Transformation prises F-R (HR-VR) pour partie fixe XT1-XT2-XT3-XT4
Transformacion conexiones F-R (HR-VR) para parte fija XT1-XT2-XT3-XT4
固定部分转换套件 **F-R (HR-VR) XT1-XT2-XT3-XT4**

XT1-XT2-XT3-XT4





			A	B	C	D	E
Front	XT1	3p	4(2)	6(3)	6(3)	-	-
		4p	6(3)	8(4)	8(4)	-	-
	XT2	3p	4(2)	6(3)	-	6(3)	6(3)
		4p	6(3)	8(4)	-	8(4)	8(4)
	XT3	3p	4(2)	6(3)	-	6(3)	6(3)
		4p	6(3)	8(4)	-	8(4)	8(4)
	XT4	3p	4(2)	6(3)	-	6(3)	6(3)
		4p	6(3)	8(4)	-	8(4)	8(4)

			F	G	C	D	E	H	I
Rear	XT1	3p	2(1)	4(2)	6(3)	-	-	4(2)	6(3)
		4p	4(2)	4(2)	8(4)	-	-	6(3)	8(4)
	XT2	3p	2(1)	4(2)	-	6(3)	6(3)	4(2)	6(3)
		4p	4(2)	4(2)	-	8(4)	8(4)	6(3)	8(4)
	XT3	3p	2(1)	4(2)	-	6(3)	6(3)	4(2)	6(3)
		4p	4(2)	4(2)	-	8(4)	8(4)	6(3)	8(4)
	XT4	3p	2(1)	4(2)	-	6(3)	6(3)	4(2)	6(3)
		4p	4(2)	4(2)	-	8(4)	8(4)	6(3)	8(4)

1 Front to Rear XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



2 Front to Rear XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



3 Front to Rear XT1-XT-2-XT3-XT4 3P

Example for HR



Example for VR



Example for XT2-XT3-XT4 (upper) and XT1 (lower)



XT2	6 Nm - 53.1 lb in
XT3	6 Nm - 53.1 lb in
XT4	6 Nm - 53.1 lb in

XT1	6 Nm - 53.1 lb in

4 Front to Rear XT1-XT-2-XT3-XT4 4P

Example for HR



Example for VR



Example for XT2-XT3-XT4 (upper) and XT1 (lower)



XT2	6 Nm - 53.1 lb in
XT3	6 Nm - 53.1 lb in
XT4	6 Nm - 53.1 lb in

XT1	6 Nm - 53.1 lb in

5 Front to Rear XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



6 Front to Rear XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



7 Rear to Front XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



8 Rear to Front XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



9

Rear to Front XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



10

Rear to Front XT1-XT-2-XT3-XT4 3P-4P

Example for XT2 4P



11

SHAPE FOR COMPARTMENT DOOR SHEET STEEL DRILLING
FOR FIXING FIXED PART FOR REAR TERMINAL

		A		B		C		D	
		mm	inch	mm	inch	mm	inch	mm	inch
XT1	3P	37,5	1,48	75	2,95	35	1,38	74	2,91
	4P	37,5	1,48	100	3,93	35	1,38	74	2,91
XT2	3P	46	1,81	92	3,62	36,5	1,44	77,5	3,05
	4P	46	1,81	122	4,80	36,5	1,44	77,5	3,05
XT3	3P	51,5	2,03	103	4,05	36	1,42	84	3,31
	4P	51,5	2,03	136,5	5,37	36	1,42	84	3,31
XT4	3P	53,5	2,11	107	4,21	48	1,89	92	3,62
	4P	53,5	2,11	142	5,59	48	1,89	92	3,62



© Copyright 2010-2025 ABB. All rights reserved.
www.abb.com