



jednostka obsługowa z ciągnem Bowdena napęd Max-Flex łącznik pomocniczy wyprzedzający po WYŁ. 2x zestaw przełączny akcesorium do: 3VA5 125, 3VA5 250, 3VA6 250 3VA5 400, 3VA6 600 3VA6 400, 3VA5 600 tylko na rynek UL tylko dla aplikacji UL nie zatwierdzono dla IEC

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Włącznik cięgła linkowego
akcesoria	łącznik pomocniczy do Max-Flex
Konstrukcja mechaniczna	
Waga netto na jedn.	111 g
Certyfikaty	
General Product Approval	EMV

[Miscellaneous](#)



[Confirmation](#)



Maritime application	other	Environment	
 LRS	Miscellaneous	Confirmation	Environmental Conformations

Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9478-0CX20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3VA9478-0CX20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9478-0CX20

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



Ostatnia zmiana:

26.05.2025 

