



wyposażenie do 3KD wielk. 5, 3KF wielk. 5, 3KC0 wielk. 5 osłona przyłącza kablowego Długość standardowa zawiera 1 szt.

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Wyposażenie do rozłącznika izolacyjnego
wykonanie produktu	Osłona zacisków
Stosowność	
możliwość zastosowania	do 3KD wielkość 5
Szczegóły produktu	
opis produktu	długość standardowa, 1 sztuka
Konstrukcja mechaniczna	
wysokość	148,1 mm
szerokość	90 mm
głębokość	119 mm
Waga netto na jedn.	0,434 kg
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



[Confirmation](#)



General Product Ap-  
proval

Test Certificates

Maritime application

other



[Type Test Certific-  
ates/Test Report](#)



LRS

[Confirmation](#)



[Miscellaneous](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KD9504-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3KD9504-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KD9504-1](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9504-1)

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



---

Ostatnia zmiana:

29.05.2026 

