


uchwyt szyny zbiorczej 6300 A 1 zestaw =2 sztuki



Wersja	
Nazwa markowa produktu	SIVACON S4
oznaczenie produktu	uchwyt głównej szyny zbiorczej
wykonanie produktu	uchwyt 4000 A
Ogólne dane techniczne	
liczba biegunów	4
Obwód główny	
prąd roboczy wartość znamionowa maksymalny	6 300 A
rodzaj przekrojów poprzecznych możliwych do podłączenia przewodów dla przewodów Cu wielożyłowy	20x10, 30x10, 40x10, 50x10
Konstrukcja mechaniczna	
wysokość	180 mm
szerokość	640 mm
głębokość	30 mm
odstęp między środkami szyn	80 mm
Waga netto na jedn.	4,553 kg
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



General Product Approval

other

[Miscellaneous](#)



[Confirmation](#)

[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ4000-0BA60>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ4000-0BA60>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ4000-0BA60

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

4.04.2025 

