








uchwyt szyny rozdzielczej pola stopniowany 2x30x10mm 1 opakowanie=30 sztuk
odniesienie: 8PQ4000-0BA32



Wersja	
Nazwa markowa produktu	SIVACON S4
Ogólne dane techniczne	
liczba biegunów	4
Obwód główny	
prąd roboczy wartość znamionowa maksymalny	1 190 A
rodzaj przekrojów poprzecznych możliwych do podłączenia przewodów dla przewodów Cu wielożyłowy	30x10
Konstrukcja mechaniczna	
wysokość	165 mm
szerokość	375 mm
głębokość	100 mm
odstęp między środkami szyn	80 mm
Waga netto na jedn.	27 g
Zezwolenia Certyfikaty	
Environment	General Product Approval
Environmental Con- firmations 	Environmental Con- firmations  
	Miscellaneous 
	Confirmation 

Więcej informacji

[Informacje dotyczące opakowania](#)
[Informacje dotyczące opakowania](#)
 Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
 Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
 Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ9400-1BA08>
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ9400-1BA08>
 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ9400-1BA08

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

Ostatnia zmiana:

15.06.2025 

