



SITOR bezpiecznik cylindryczny, 22x127 mm, 25 A, gS, Un AC: 1500 V, Un DC: 1000 V

Figure similar

| Wersja | |
|--|------------------------------|
| Nazwa markowa produktu | SETRON |
| oznaczenie produktu | Wkładka bezpiecznikowa SITOR |
| Ogólne dane techniczne | |
| charakterystyka wkładki bezpiecznikowej | gS |
| rodzaj napięcia napięcia roboczego | AC |
| napięcie zasilające przy DC | 1 000 V |
| Obwód główny | |
| prąd roboczy wartość nominalna | 25 A |
| Szczegóły produktu | |
| element składowy produktu sygnalizator uderzenia | Nie |
| Konstrukcja mechaniczna | |
| pozycja montażowa | dowolnie, najlepiej pionowo |
| Waga netto na jedn. | 0,112 kg |
| Zezwolenia Certyfikaty | |
| Environment | General Product Approval |

[Environmental Confirmations](#)



[Environmental Confirmations](#)



[Confirmation](#)



General Product Approval

other



EG-Konf.



[Confirmation](#)

Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2325-0MK>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3NC2325-0MK>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC2325-0MK

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

14.11.2025 

