

ALPHA DIN zestaw montażowy z szyną montażową wysokość 15 mm, szerokość zabudowy B1, z izolacją i zabezpieczeniem, do zastosowań SKII, do zatraskiwania zacisków szeregowych



Wersja	
Nazwa markowa produktu	ALPHA
oznaczenie produktu	szyna montażowa
rodzaj otworu	okrągły otwór
Ogólne dane techniczne	
obróbka powierzchniowa	cynkowany w procesie Sendzimira
wysokość profilu możliwego do przymocowania	7,5 mm
właściwość produktu perforowany	Tak
Konstrukcja mechaniczna	
wysokość	7,5 mm
szerokość	35 mm
Specyfikacja produktu do wymiarowania	DIN EN 60715:2018-07
długość	250 mm
Waga netto na jedn.	214 g
materiał	Stal
grubość materiału	1 mm
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Confirmations](#)

[Environmental Confirmations](#)



[Confirmation](#)



Test Certificates

other

[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9910-0KK35>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9910-0KK35>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9910-0KK35

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

24.05.2025 

