



mostek redukcyjny do połączenia przyłączy sprężynowych 35mm<sup>2</sup> z przyłączami sprężynowymi 2,5mm<sup>2</sup> lub 4mm<sup>2</sup>, petrol

Figure similar

Wersja		
Nazwa markowa produktu	SETRON	
oznaczenie produktu	Zaciski szeregowo	
wykonanie produktu	Mostek redukcyjny	
Wygląd		
kolor	Czerwony	
wyposażenie produktu ochrona przed dotykiem	Tak	
właściwość produktu elektrycznie izolowany	Tak	
akcesoria	Łącznik redukcyjny do 8WH2/6	
liczba zmostkowanych zacisków	1	
Konstrukcja mechaniczna		
rodzaj montażu	mocowanie wtykowe	
wielkość styku	11 mm	
Waga netto na jedn.	8 g	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)



[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9020-0EC10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8WH9020-0EC10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH9020-0EC10](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9020-0EC10)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



