



mostek wtykowy, 2-bieg., pełna izolacja, wkładany w tuleję zaciskową i zatraskiwany do zacisków 95mm<sup>2</sup>

Wersja		
Nazwa markowa produktu	SETRON	
oznaczenie produktu	Zaciski szeregowo	
wykonanie produktu	Mostek	
Wygląd		
kolor	Szary	
wyposażenie produktu ochrona przed dotykiem	Tak	
właściwość produktu elektrycznie izolowany	Tak	
akcesoria	Element mostkujący wkładany	
liczba zmostkowanych zacisków	2	
Konstrukcja mechaniczna		
rodzaj montażu	przykręcany	
wielkość styku	25 mm	
Waga netto na jedn.	76 g	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Con-  
firmations](#)



[Confirmation](#)



[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9020-3AA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8WH9020-3AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH9020-3AA00](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9020-3AA00)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



