



SIVACON, drzwi przegrody, po prawej, IP40, wys.: 1100 mm, szer.: 800 mm, RAL 7035, klasa ochrony 1



Wersja		
Nazwa markowa produktu		SIVACON
wykonanie produktu		zamknięty
wykonanie powierzchni		powlekany proszkowo
wykonanie produktu kompatybilny elektromagnetycznie		Nie
Klasa ochrony		
Stopień ochrony IP		IP40
stopień ochrony środków roboczych		klasa ochrony 1
Wygląd		
kolor		jasny szary
Szczegóły produktu		
element składowy produktu		
• wentylacja		Nie
• drzwi przezroczyste		Nie
• drzwi z blokadą rozłącznika		Nie
Konstrukcja mechaniczna		
wysokość		1 100 mm
szerokość		800 mm
kierunek otwierania drzwi		Prawo
Waga netto na jedn.		12,354 kg
materiał		Stal
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)



[Special Test Certific-
ate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1180-2UT34-0BA2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1180-2UT34-0BA2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1180-2UT34-0BA2

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

13.04.2025 

