



SIVACON, połowa drzwi, po lewej, okno obserwacyjne, IP55, wys.: 2200 mm, szer.: 600 mm, RAL 7035, klasa ochrony 1



Wersja		
Nazwa markowa produktu	SIVACON	
oznaczenie produktu	Połowa drzwi	
wykonanie produktu	Wziernik	
wykonanie powierzchni	powlekany proszkowo	
wykonanie produktu kompatybilny elektromagnetycznie	Nie	
Klasa ochrony		
Stopień ochrony IP	IP55	
stopień ochrony środków roboczych	klasa ochrony 1	
Wygląd		
kolor	jasny szary	
Szczegóły produktu		
element składowy produktu		
• wentylacja	Nie	
• drzwi przezroczyste	Tak	
• drzwi z blokadą rozłącznika	Nie	
Konstrukcja mechaniczna		
wysokość	2 200 mm	
szerokość	600 mm	
kierunek otwierania drzwi	Lewo	
Waga netto na jedn.	19 kg	
materiał	stal/szkło	
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)



[Special Test Certifi-
cate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1260-2UT25-0BE2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1260-2UT25-0BE2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1260-2UT25-0BE2

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

13.04.2025 

