



SIVACON, przegroda, do obudów w szeregu, wys.: 1800 mm, głęb.: 400 mm, ocynk



### Wersja

Nazwa markowa produktu	SIVACON
oznaczenie produktu	Ścianka działowa
wykonanie produktu	do obudowy szeregowej
wykonanie powierzchni	ocynkowany
wykonanie produktu kompatybilny elektromagnetycznie	Nie

### Szczegóły produktu

element składowy produktu	
<ul style="list-style-type: none"> <li>wprowadzenie kabla</li> <li>zamek</li> </ul>	<p>Nie</p> <p>Nie</p>

### Konstrukcja mechaniczna

wysokość	1 800 mm
głębokość	400 mm
Waga netto na jedn.	10,5 kg
materiał	Stal

### Zezwolenia Certyfikaty

Environment	General Product Approval	Test Certificates
-------------	--------------------------	-------------------

[Environmental Confirmations](#)



[Special Test Certificate](#)

### other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1840-2UW70-3C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1840-2UW70-3C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF1840-2UW70-3C](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1840-2UW70-3C)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



---

Ostatnia zmiana:

24.05.2025 

