



SIVACON, przegroda, do obudów w szeregu, wys.: 2000 mm, głęb.: 600 mm, ocynk



Wersja	
Nazwa markowa produktu	SIVACON
oznaczenie produktu	Ścianka działowa
wykonanie produktu	do obudowy szeregowej
wykonanie powierzchni	ocynkowany
wykonanie produktu kompatybilny elektromagnetycznie	Nie
Szczegóły produktu	
element składowy produktu	
<ul style="list-style-type: none"> <li>wprowadzenie kabla</li> <li>zamek</li> </ul>	<p>Nie</p> <p>Nie</p>
Konstrukcja mechaniczna	
wysokość	2 000 mm
głębokość	600 mm
Waga netto na jedn.	19,3 kg
materiał	Stal

Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Confirmations](#)



[Special Test Certificate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1060-2UW70-3C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1060-2UW70-3C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF1060-2UW70-3C](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1060-2UW70-3C)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simar.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simar.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



---

Ostatnia zmiana:

24.05.2025 

