



jednostka obsługowa z cięgnem Bowdena napęd Max-Flex cięgnem Bowdena osobno długość 1,8 m 72 akcesorium do: 3VA53/54; 3VA63/64 tylko na rynek UL tylko dla aplikacji UL nie zatwierdzono dla IEC

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Włacznik cięgła linkowego
akcesoria	cięgnem Bowdena do Max-Flex
Konstrukcja mechaniczna	
głębokość	1 800 mm
Waga netto na jedn.	517 g
Certyfikaty	
General Product Approval	



[Miscellaneous](#)



[Confirmation](#)



General Product Approval	EMV	Maritime application	other	Environment
--------------------------	-----	----------------------	-------	-------------



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

### Environment

[Environmental Confirmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9578-0CC40>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3VA9578-0CC40>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9578-0CC40](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9578-0CC40)

CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



---

Ostatnia zmiana:

26.05.2025 

