

napęd drzwiowy 8UC7 uchwyt szary tytanowy/niebieskozielony osłona jasnoszara dla rozłącznika izolacyjnego 3KL55, 3KM55, 3KL57, 3KM57, 3KA w zestawie wałek przedłużający o długości 300mm, 10 x 10 mm i zabierak sprzęgający



Wersja		
Nazwa markowa produktu	SETRON	
oznaczenie produktu	Napęd obrotowy drzwiowy ze sprzęgłem	
wykonanie produktu	do 3KL55, 3KM55, 3KL57, 3KM57, 3KA, wałek wyzwalający 10 x 10 mm i zabierak sprzęgający	
Szczegóły produktu		
wyposażenie produktu blokada	Tak	
element składowy produktu		
• przedłużenie osi	Tak	
• uchwyt wyłączania awaryjnego	Nie	
właściwość produktu zamykanie	Tak	
Konstrukcja mechaniczna		
Waga netto na jedn.	941 g	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Conformations](#)



other

[Confirmation](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UC7313-1BB30>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8UC7313-1BB30>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UC7313-1BB30](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7313-1BB30)

CAX-Online-Generator

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Krzywe charakterystyczne**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

---

Ostatnia zmiana:

15.06.2025 

