

napęd drzwiowy 8UC7 Uchwyt ciemnoszary/niebieskozielony Basic osłona jasnoszara do rozłącznika izolacyjnego 3-biegunowego 3KL50, 3KM50, 3KA50, 3KA51 ze zredukowaną Kompensacja tolerancji do wałków wyzwalających 6x 6mm



Wersja		
Nazwa markowa produktu	SETRON	
oznaczenie produktu	Napęd obrotowy drzwiowy ze sprzęgłem	
wykonanie produktu	do 3-bieg. 3KL50, 3KM50, 3KA50, 3KA51, ze zredukowanym wyrównaniem tolerancji, wałki wyzwalające 6 x 6 mm	
Szczegóły produktu		
wyposażenie produktu blokada	Tak	
element składowy produktu		
• przedłużenie osi	Tak	
• uchwyt wyłączania awaryjnego	Nie	
właściwość produktu zamykanie	Tak	
Konstrukcja mechaniczna		
Waga netto na jedn.	299 g	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)

other



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UC7161-1BB10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8UC7161-1BB10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7161-1BB10

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

23.05.2025 

