

napęd drzwiowy 8UC7 pokrętło szary tytanowy/niebieskozielony basic osłona maskująca szara Uchwyt jednostronny do rozłączników izolacyjnych jako przełącznik bez przerwania 3KE42, 3KE43, 3KE44, 3KE45 do wałków 12x 12mm



Wersja		
Nazwa markowa produktu	SETRON	
oznaczenie produktu	Napęd obrotowy drzwiowy ze sprzęgłem	
wykonanie produktu	jako przełącznik bez przerwania do 3KE42, 3KE43, 3KE44, 3KE45, wałki wyzwalające 12 x 12 mm	
Szczegóły produktu		
wyposażenie produktu blokada	Tak	
element składowy produktu		
• przedłużenie osi	Tak	
• uchwyt wyłączania awaryjnego	Nie	
właściwość produktu zamykanie	Tak	
Konstrukcja mechaniczna		
Waga netto na jedn.	1,084 kg	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)

other



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UC7414-1FG44>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8UC7414-1FG44>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7414-1FG44

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

Ostatnia zmiana:

4.06.2025 

