

higrostat mechaniczny 35 do 95% wilg. wzgl., 5 A 250 V AC MFR012 01220.0-00



Wersja		
Nazwa markowa produktu	SIVACON	
oznaczenie produktu	higrostat mechaniczny	
rodzaj napięcia napięcia roboczego	AC	
Klasa ochrony		
Stopień ochrony IP	IP 20	
Konstrukcja mechaniczna		
pozycja montażowa	pionowy	
Waga netto na jedn.	65 g	
Certyfikaty		
oznaczenie środków roboczych zgodnie z IEC 81346-2:2009	K	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Con-  
firmations](#)



[Confirmation](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2170-1C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MR2170-1C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MR2170-1C](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2170-1C)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simarisiemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simarisiemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



