



napęd obrotowy drzwiowy ze sprzęgłem wyłączenie awaryjne NEMA typ 1, 3R, 12, 4/4X z blokadą drzwi i pozycja otwarcia drzwi akcesorium do: 3VA51

Wersja	
Nazwa markowa produktu	SENTRON
oznaczenie produktu	Napęd obrotowy drzwiowy ze sprzęgłem
akcesoria	Napęd obrotowy do zamykania drzwi
Ogólne dane techniczne	
Stopień ochrony NEMA	1, 3R, 12, 4, 4X
Stopień ochrony IP	IP65
Konstrukcja mechaniczna	
wysokość	70 mm
szerokość	77 mm
Waga netto na jedn.	552,5 g
Certyfikaty	
General Product Approval	



[Miscellaneous](#)



[Confirmation](#)



EMV	Maritime application	other	Environment		
		<a href="#">Miscellaneous</a>	<a href="#">Confirmation</a>	<a href="#">Environmental Confirmations</a>	<a href="#">Environmental Confirmations</a>

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9137-0FK35>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3VA9137-0FK35>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9137-0FK35](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9137-0FK35)

CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications



Ostatnia zmiana:

3.04.2025 

